



TGR12 TocDem 11 to 18 Tonne Demolition Selector Grab

£ 11,750.00 + VAT

Call Us

01525 714448

WhatsApp

+44 7415 838322

Email

sales@tocdem.com

TGR12 TocDem 11 to 18 Tonne Demolition Selector Grab

The TGR12 TocDem 11 to 18 Tonne Demolition Selector Grab features a build crafted from high-grade, wear-resistant steels. As a result, it handles the demolition of brickwork, timber, and various other materials with ease. Additionally, it suits excavators weighing between 14 and 18 tonnes, providing exceptional power for fast and efficient demolition.

Not only does this machine excel in demolition tasks, but it also simplifies the selection of demolished materials. Consequently, recycling and handling processes become much more streamlined and manageable.

What we offer at TocDem

- Huge 3 Year Warranty
- Hire To Buy Packages Available
- Trade-Ins Are Welcome
- Finance Can Be Arranged (subject to status)
- Full service & recalibration support offered
- Heavy Duty Slew Ring
- Heavy Duty Motor
- Heavy Duty Chassis

Each TocDem Selector Grapple arrives fully assembled—complete with hoses, pins, and a head bracket or hanger. Better still, we include a standard 3-year warranty. We also manufacture the head bracket to your exact specification at the time of order, ensuring a perfect fit.

CLICK TO CALL FOR HELP & INFORMATION. WE WON'T BE BEATEN ON PRICE,
QUALITY OR AFTER SALES SERVICE!

[See All Selector Grabs, Grapples & Downloads Here](#)

TocDem TG12 Specification

- **Weight:** 1040Kg, 2293lbs
- **Opening:** 1700mm, 68"
- **Height:** 1600mm, 64"

- **Width:** 800mm, 32?
- **Clamping Force:** 5 Tonnes, 11000lbs
- **Loading Capacity:** 1.1 Tonnes, 2420lbs
- **Oil Flow:** 50 Litres per minute
- **Oil Pressure:** 250 bar, 3626 PSI

Additional highlights of this series include:

- Enjoy 360° hydraulic rotation for precise and controlled placement.
- Rely on a synchronised hydraulic cylinder and piston rod system that ensures smooth, uniform movement at all times.
- Take advantage of interchangeable blades and multiple jaw configurations, making it easy to perform demolition, selection, and loading tasks.

Why Choose TocDem Attachments?

At TocDem, we take pride in being both a service-driven business and a trusted manufacturer. That's why we carry out thorough pre-delivery inspections and in-depth testing on all TocDem Hydraulic Grabs. These checks ensure our customers receive reliable and high-quality equipment every time.

Moreover, we stay ahead by continuously exploring and adopting new technologies to enhance our range. In addition, our commitment doesn't end with the sale. We stand behind every product we deliver.

To support your long-term needs, we always stock a comprehensive range of spare parts for our excavator grapples. These are readily available for immediate dispatch. Plus, our team is always ready to provide expert technical advice on any of our TEB Hydraulic Grabs.

**** Due to ongoing development, specifications may change at any time.**

These tools must only be operated by trained, qualified personnel. Before use, ensure a valid risk assessment and method statement are in place. The excavator powering this tool must include a cab and demolition guards.

Download the NFDC Safe Use of Attachments Guide Here

More Hydraulic Selector Grabs

- TGR1 TocDem 0.8 to 1.9 Tonne STATIC Demolition Selector Grabs
- TGR2 TocDem 0.8 to 1.9 Tonne Demolition Selector Grabs
- TGR4 TocDem 2 to 4 Tonne Demolition Selector Grabs
- TGR5 TocDem 4 to 7 Tonne Demolition Selector Grabs
- TGR6 TocDem 8 to 10 Tonne Demolition Selector Grabs
- TGR16 TocDem 18 to 25 Tonne Demolition Selector Grabs
- TGR22 TocDem 22 to 30 Tonne Demolition Selector Grabs
- TGR26 TocDem 30 to 50 Tonne Demolition Selector Grabs
- TGR32 TocDem 35 to 60 Tonne Demolition Selector Grabs
- TGR42 TocDem 50 to 65 Tonne Demolition Selector Grabs

Or why not look at our other products

- Hydraulic Hammers / Breakers
- Scrap Steel Recycling Shears
- Concrete Pulverisers
- Push Pro Pipe Pushers
- Gas & Water Utility Equipment