



## **TSH26 Scrap Demolition Recycling Shear 26 to 34 Tonne**

**£ 39,500.00 + VAT**

Call Us

**01525 714448**

WhatsApp

**+44 7415 838322**

Email

**[sales@tocdem.com](mailto:sales@tocdem.com)**

## **TSH26 Scrap Demolition Recycling Shear 26 to 34 Tonne**

The TocDem TSH26 Scrap Demolition Recycling Shear is a high-performance attachment designed specifically to maximise productivity and efficiency for your 26 to 34 Tonne excavator.

Constructed with HARDOX and STRENX steel, this hydraulic shear offers exceptional durability. As a result, it effortlessly handles the demolition of tanks, pipes, and steel or iron structures. Moreover, its high cutting force ensures precise, fast operation — delivering maximum efficiency under all conditions.

## What we offer at TocDem

- 3-Year Warranty
- Hire-to-Buy Packages Available
- Trade-Ins Welcome
- Finance Options Available (subject to status)
- Full Service & Recalibration Support Provided

CLICK TO CALL FOR HELP & INFORMATION — WE WON'T BE BEATEN ON PRICE, QUALITY OR AFTER-SALES SERVICE!

[See all Demolition Scrap Recycling Shears Here](#)

## Key Specifications:

- **Model No:** TSH26
- **Suitable Excavator:** 26.0–34.0 Tonne (57,200–74,800 lbs)
- **Jaw Opening:** 580 mm (23?)
- **Total Weight:** 2530 kg (5,578 lbs)
- **Overall Length:** 2840 mm (112?)
- **Overall Width:** 510 mm (20?)
- **Operating Pressure:** 340 Kg/cm<sup>2</sup> (4,931 psi)
- **Oil Flow:** 200–260 litres per minute

## Additional Highlights of the TSH Series Include:

---

- A double-register blade guide, which ensures precise alignment even in demanding cutting conditions
- Interchangeable and reversible blades, allowing for long life and consistent precision
- A reversed hydraulic cylinder and regenerative speed valve, increasing productivity by up to 30%
- A pressure relief valve to protect shear components from damage in case of overpressure
- 360-degree continuous hydraulic rotation in both directions for optimal attachment positioning

## Technical, Customer & After-Sales Support

At TocDem Attachments, one of our key principles is always standing behind every product we sell. Therefore, we maintain a comprehensive stock of spare parts for all TocDem Shears — readily available for immediate dispatch.

Furthermore, our team is always on hand to provide technical advice and support across our full product range.

In addition, all TocDem TSH Hydraulic Shears are priced as complete, ready-to-use units. This means head brackets, hangers, pins, and hoses are all included in the listed price — ensuring complete transparency and value.

**All prices are subject to delivery charges & VAT.**

\*\* Due to ongoing development, specifications may change at any time.

## Important Safety Note

These tools should only ever be operated by trained, qualified personnel. A valid risk assessment and method statement should always be in place prior to use. Moreover, the excavator operating this attachment must be fitted with a cab and demolition

guards.

## Download the NFDC Safe Use of Attachments Guide [Here](#)

**Alternative names for this item:** Shear, Scrap Shear, Recycling Shear, Demolition Shear, Demolition Scrap Shear

### Choose from the Full Range of Scrap Steel Recycling Shears:

- TSH14 Scrap Demolition Recycling Shear 12 to 18 Tonne
- TSH20 Scrap Demolition Recycling Shear 20 to 28 Tonne
- TSH36 Scrap Demolition Recycling Shear 34 to 40 Tonne
- TSH42 Scrap Demolition Recycling Shear 40 to 50 Tonne
- TSH56 Scrap Demolition Recycling Shear 50 to 70 Tonne
- TSH72 Scrap Demolition Recycling Shear 70 to 100 Tonne
- TSH82 Scrap Demolition Recycling Shear 80 to 110 Tonne
- TSH110 Scrap Demolition Recycling Shear 90 to 120 Tonne
- TSH130 Scrap Demolition Recycling Shear 100 to 130 Tonne

### Or why not look at our other products

- Hydraulic Hammers / Breakers
- Hydraulic 360 Selector Grabs
- Concrete Pulverisers
- Push Pro Pipe Pushers
- Gas & Water Utility Equipment